



Unisto **Petit**

trolley application



bag application




numbered and customer logo



delivered in mats





Technical Data Version Polyamide (PA)

Material

Polyamide (PA)

Tensile strength (loop)

Approx. 14.5 kg

Numbering

Up to 7 digits

Customer name/logo

Foil printed or thermal transfer printing

Plastic colours

red 1797C, blue 285C, green 347C, yellow 108C, orange 164C, white

Packing

Mats of 10 pieces, box of 1'000 seals

150 mm:

24,5 x 19,0 x 21,5 cm (0.010 m³), approx. 1.86 kg

230 mm:

36,3 x 18,9 x 19,5 cm (0.013 m³), approx. 2.11 kg

Technical Data Version Polypropylene (PP)

Material

Polypropylene (PP)

Tensile strength (loop)

Approx. 8.5 kg

Numbering

Up to 7 digits

Customer name/logo

Foil printed, directly laser-marked or thermal transfer printing

Plastic colours – printed version

red 1797C, blue 285C, green 347C, yellow 108C, orange 164C, white

Plastic colours – directly laser-marked version

yellow 100U, light blue 290U, light green 3375, white

Other colours available on request

Packing

Mats of 10 pieces, box of 1'000 seals

110 mm:

24,5 x 19,0 x 21,5 cm (0.010 m³), approx. 1.5 kg

150 mm:

24,5 x 19,0 x 21,5 cm (0.010 m³), approx. 1.5 kg


230 mm:

36,3 x 18,9 x 19,5 cm (0.013 m³), approx. 1.7 kg

Product Features and Benefits

- One piece pull-tight seal
- 2.6 mm ribbon diameter that fits most applications
- Easy to remove by hand
- Various colours for logistical functions
- Customer name/logo for clear identification

How to close



How to open

Remove either with bolt cutters (A) or by twisting (B).

