

Unisto Axis Mini

bag application



barcode directly lasermarked




tear-off facility



delivered in mats





Technical Data

Material

Polypropylene (PP)

Tensile strength (loop)

Approx. 16 kg

Numbering

Up to max. 7 digits

Barcoding

Interleaved 2/5 or barcode 128

Others on request

Customer name/logo

Foil printed, directly lasermarked or thermal transfer printing

Plastic Colours – Printed version:

red 1797C, blue 285C, green 347C, yellow 108C, orange 164C, white

Plastic Colours – Directly laser-marked version:

blue 290U, yellow 100U, green 3375C, white

Other colours available on request

Packing

Axis Mini 150

Box size 32,0 cm (W) x 32,0 cm (L) x 21,5 cm (H)

Weight/box 2,36 kg

Carton Size 33,5 cm (W) x 111,5 cm (L) x 33,5 cm (H)

Weight/carton 13,70 kg

Axis Mini 220

Box size 32,0 cm (W) x 32,0 cm (L) x 21,5 cm (H)

Weight/box 3,14 kg

Carton Size 33,5 cm (W) x 111,5 cm (L) x 33,5 cm (H)

Weight/carton 17,60 kg

Axis Mini 300

Box size 40,0 cm (W) x 40,0 cm (L) x 17,5 cm (H)

Weight/box 3,28 kg


Carton Size 41,3 cm (W) x 91,3 cm (L) x 41,9 cm (H)

Weight/carton 18,3 kg

Product Features and Benefits

- One-piece moulded seal
- Unique designed locking mechanism which firmly secure the seal in position to eliminate any possibility of the seal being pulled out or pseudo sealing.
- Groove on the ribbon to prevent sealing from the reverse direction
- Tear-off facility allows easy removal of seal
- Barcoded numbering for fast, accurate reliable data capture and streamlining operations
- Various colours for logistical functions
- Customer name/logo for clear identification
- Specially designed spikeless version is available for tote box application or application that do not require spike for gripping on the seal

How to close



How to open Open with pliers

